

Leica DISTO™ DXT

Measuring distances under extreme conditions



Leica DISTO™ DXT – Tough enough!

The Leica DISTO™ DXT is the only laser distance meter, which is protected against jet water and is absolutely tight against dust – according to IP65. This ensures, that it operates precisely, even at very unpleasant conditions.

Featured with

- Dust-proof and jet water protected – IP65
- Sealed keypad
- Impact-resistant housing
- Hard-wearing display with illumination
- Rugged rubber jacket
- Multifunctional end-piece with automatic detection

- when it has to be **right**

Leica
Geosystems



IP65

The housing and keypad are specially sealed against water and dust. Cleaning under running water is no problem.



Robust

The sensitive measuring elements are protected by solid rubber parts. The Leica DISTO™ DXT is therefore particularly resistant and endures drop tests from 2m height.



Functionality

The Leica DISTO™ DXT has a diverse range of functions, e.g. addition, subtraction, area, volume, Pythagoras, continuous measurement and minimum/maximum measurement.

Target Groups

- Flooring
- Tiling
- Painting
- Plastering
- Ceiling Installers
- Electricians
- HVAC
- Plumbers
- Joiners
- others

Technical Specifications

Measuring accuracy typ	±1.5 mm
Range	0.05 to 70 m
Measuring units	0.000 m, 0'0"1/8, 0 in 1/8, 0'00"1/16, 0 in 1/16, 0.00 ft
Distance Ø laser dot	10, 50 m 6, 30 mm
Minimum / maximum measurements	•
Continuous measurement	•
Addition / subtraction	•
Area/volume measurements	•
Total room data	•
Indirect measurement by Pythagoras	•
Recall last values	10
Display illumination	•
Measurements per battery set	up to 5.000
Multifunctional end-piece	with automatic detection
Batteries	Type AAA 2x1.5V
Dust-proof and jet water protected	•
IP65	
Dimensions	122x55x28mm
Weight with batteries	159g

Leica DISTO™ DXT:

Scope of delivery

Leica DISTO™ DXT

Holster

Hand loop

Battery pack



Laser class 2
In accordance with
IEC 60825-1

Illustrations, descriptions and technical specifications are not binding and may change.
Copyright © Leica Geosystems AG, Heerbrugg, Switzerland, 2010.

Leica Geosystems AG
Heerbrugg, Switzerland
www.disto.com

- when it has to be **right**

Leica
Geosystems

■ Dealer stamp





Illustrations, descriptions and technical specifications are not binding and may change.
Copyright © Leica Geosystems AG, Heerbrugg, Switzerland, 2010.

Leica Geosystems AG
Heerbrugg, Switzerland
www.disto.com

- when it has to be **right**



■ Dealer stamp

